


Compact size with excellent functionality and operability.
Portable Infraredgas analyzer with great mobility

INFRARED GAS ANALYZER

Vasthi Portable Infraredgas analyzer for





Vasthi Portable Gas Analyzer is a light weight, easy to handle, battery-powered analyzer, used to verify measurements and for spotchecking when other methods provide questionable results.

Portable analyzers are microprocessor -controlled instrument with sophisticated software process that meets the needs of industry in analyzing the Gases with accuracy and reliability. Its NDIR transducer provides highly stable and reliable results.

Key Features

- NDIR absorption principle
- > The large LCD screen with clear display assures simple operation.
- Single-beam infrared gas analyzer having excellent stability is adopted.
- ➤ The O2 sensor is available in 2 types: Paramagnetic type and Electro Chemical type.
- > Automatic in operation
- Micro controller technology
- Customer specific configurable
- Suitable for Single or Multiple GAS Analysis
- Long battery backup hours
- > Alarm indicators-low, high and fault Self diagnosis
- > Easy calibration in fresh air
- > Run-while charging capability
- Virtually maintenance free
- No interference from glycol, methanol or amine contaminants (vapor phase)
- > Fast and accurate real time measurements
- Optional RS 232 and Computer Interface to transfer the shored data
- Data logger to store the data in system
- > Internet facility to monitor 24 hours



Major Applications

- Process analysis
- Continuous emission monitoring
- Optimizing combustion process
- ➤ Industries-agriculture, food, Chemical and petrochemical etc.
- ➤ Biochemistry (microbes) :- Incubator, For fermentation
- > Storage and maturation of fruits
- Gas separation
- ➤ Iron and steel :- Blast furnace, Converter furnace, Heat treatment furnace, Coke oven (CDQ)
- Clinical medicine :- Oxygen aspirator
- > Saving energy:- Boiler, Heat treatment furnace
- Hazard prevention: Analysis of gases produced through combustion of new building materials
- Ceramic industry :- Tunnel kiln , Cement
- ➤ Water and Sewerage water :- Sewerage incinerator
- ➤ Thermal treatment :- Generating furnace, Carburization furnace, Annealing furnace
- ➤ Agriculture :- Research of photo synthesis
- Chemistry:- Oil refining plant, Petrochemical plant, Gas production plant
- > Electronics :- Solder furnace
- > Environmental safeguard :- Ambient
- Various scientific experiments: Laboratory





PORTABLE INFRAREDGAS ANALYZER SPECIFICATION

Measured component/ measurement range

CO2	0- 200	ppm or	0- 100%
CO	0- 200	ppm or	0-100%
NO	0- 2000	ppm or	0- 100%
SO2	0- 200	ppm or	0-100%
H2S	0-5000	ppm or	0-100%
CH4	0-2000	ppm or	0-100%
Propane	0-500	ppm or	0- 100%
O2 Electrochemical	0-10	ppm or	0- 25%
O2 Paramagnetic	1 %		0-100%

Application Data

Environmental Temperature Range* -20° to 50° C (-4° to 122° F)
Sample Inlet Pressure 10 to 25 PSIA, 10 PSIG maximum
Sample Flow Rate 0.1-10 L/min (0.2 to 20 scfh)

Electrical & Communications

Input Voltage 100-240 VAC, 50-60 HZ standard Electrical Storage 12-Volt, Sealed Lead-Acid Battery

Approx. 8 hours usage time per charge 0.5 A @ 120 VAC during recharging

Current 0.5 A @ 120 VAC during ro Outputs R S232 - all parameters

LCD Display Concentration

Alarms Two Levels (selectable range)

 $\begin{array}{ll} \text{Accuracy} & \pm 2\% \\ \text{Repeatability} & \pm 0.5\% \\ \end{array}$

Signal response time t 90 <2sec. (At 1 LPM) 90

Operating Temperature 0 - 50 Deg. C Warm up Time <3 min



VASTHI INSTRUMENTS

Plot no: 21 & 22 , Block no: 24, Phase - IV , Auto Nagar, Guntur - 522 001, Andhra Pradesh,Inda.

Tel: +91 863 2238 667, +91 738 2708 685, +91 958 1678 685

web: www.vasthi.com, E: info@vasthi.com, sales@vasthi.com